



AJ INSTITUTE OF ENGINEERING & TECHNOLOGY

A Unit of Laxmi Memorial Education Trust

(Approved by AICTE, New Delhi, Affiliated to Visvesvaraya Technological University, Belgaavi)

DEPARTMENT OF INFORMATION SCIENCE AND ENGINEERING

ACADEMIC YEAR 2021-22

Corrective Measures on Students Feedback related to Facility

Sl. No.	Facilities	Remarks Received on facilities	Corrective Measures
1	Library	Feedback on library is analysed and compiled to observe the overall improvements that could be applicable. The feedback response was converted to percentage and average value is taken. Remarks by students are: Bring in more revised textbooks of recent years and discard the old outdated versions. Xerox price can be reduced so that it will be more beneficial Also please add more leisure reading books like novels, there are far too less. Feedback response is considered as 3.21 - good.	It was suggested that there would be more resources provided in the library.
2	Internet Centre	Internet is useful and appreciated the Internet facility. Feedback was sorted and the overall opinion obtained for the Internet centre is 3.25 - good.	-
3	Administration	Remarks from the student: Requested for fire safety and first aid service. Cooperation and support with respect to scholarship is expected more. Feedback was sorted and the opinion obtained for administration is 3.20 – good	The compiled information (data file + summary + report) is then sent to the respective departments for implementation and corrective action at the HoD/faculty. All the updates and support regarding the scholarship is redirected to the respective coordinator and cooperation is provided.


Principal

A.J. Institute of Engineering & Techno
Mangaluru - 575 006



AJ INSTITUTE OF ENGINEERING & TECHNOLOGY

A Unit of Laxmi Memorial Education Trust

(Approved by AICTE, New Delhi, Affiliated to Visvesvaraya Technological University, Belgavi)

AJIET

DEPARTMENT OF INFORMATION SCIENCE AND ENGINEERING

4	Classroom/Lab Facilities	Feedback was sorted and the opinion obtained for class room/Lab facilities is 4 – Very Good Remarks from the student: Some lights and fans are not working properly in the classroom so requested for services.	
5	Food /Drinking Water	Feedback was sorted and the opinion obtained for food/drinking water is – 2.99 – Satisfactory Remarks from students are: Improvement in the quality of food in the Canteen with reasonable price. Timings with respect to canteen are expected to be improved	The compiled information (data file + summary + report) is then sent to the respective departments for implementation and corrective action at the HoD/faculty.
6	Washrooms/Green Rooms/Sick Rooms	Feedback was sorted and the opinion obtained for Washrooms/Green Rooms/Sick Rooms is 3.3 – Good. Remarks from students are: Irregular water supply in the washrooms of 3 rd floor	The compiled information (data file + summary + report) is then sent to the respective departments for implementation and corrective action at the HoD/faculty.
7	Fitness Centre-Gym	Feedback was sorted and the opinion obtained for Fitness Centre-Gym is 3.2 – Good. Remarks from students are: Restrictive timings in gym.	The compiled information (data file + summary + report) is then sent to the respective departments for implementation and corrective action at the HoD/faculty.
8	Extra-Curricular Activities & Sports	Feedback was sorted and the opinion obtained for Extra-Curricular Activities & Sports is 3.4 - Good. Remarks from students are: Events are conducted in short notice period no preparation time is available.	Pre notice of the events and event schedule will be shared However, no such cases have yet been reported/noticed.


Principal

A.J. Institute of Engineering & Techno
Mangaluru - 575 006