

# SELF DRIVING VEHICLE CONTROLLER ASSISTANT

Ahamed, Nandu R, Salman Farish, Saud Hussain, DR. Suresha D

Information Science and Engineering Department, AJ Institute of Engineering and Technology

## I. ABSTRACT

These days, automation and self-learning are not just available to humans. If you look out toward the horizon of the automobile industry, you can see that a brand-new, thrilling period—the era of self-driving cars—is beginning to take shape. when people won't have to pay attention to the road as they drive. Vehicles will transport us to our destinations blazingly quickly and effectively, eliminating any worries about distracted driving or difficult rush hour journeys. The foundation of autonomous driving is sensor fusion and computer vision.

In this project, a system is created which is, ideally, capable of automatically driving a vehicle on streets without any human input required. In addition to cameras and IR sensors, the vehicle would also have an on-board computer for making decisions. We would also need to use machine learning for certain applications such as object detection for detecting other vehicles, traffic sign detection, etc. We would also need to use anavigation system such as Google Maps in order to obtain waypoint data. the project will be deployed as a software demonstration on a car simulator.

The effective integration of the ASDVC controller in self-driving cars could significantly improve the sustainability and dependability of mobility for the next generation of vehicular transportation systems.

## II. LITERATURE SURVEY

Based on the annotated highway vehicle object dataset, the YOLOv3 object identification algorithm developed the end-to-end highway vehicle detection model. The road surface area was divided into a remote area and a proximal area to solve the issues of small item identification and multi-scale variation of the object. To get good vehicle detection results in

the monitoring field, the two road regions of each frame were successively detected. The location of the object in the picture might be foreseen. In the realm of highway management, intelligent vehicle detection and counting becoming more and more crucial. However, because vehicles come in a variety of sizes, it might be difficult to detect them, which has an impact on how accurately counts of vehicles are made. This research suggests a vision-based vehicle identification and counting system to address this problem[1].

the widespread adoption of CNNs, many pattern recognition projects were completed with an initial stage of self-created components that were extracted and then subsequently followed by classifiers. Convolutional neural networks (CNNs) have painted a completely different image of pattern recognition. The traits we used were learned from training instances of CNN growth. Since the convolution process captures the specific image's 2D characteristics, image recognition is where this technique is most frequently applied. Similar to how the convolution kernel scans the entire image, it utilizes fewer parameters than the total number of operations to do so[2].

The automatic driving module controls the necessary actuators in accordance with the planning module's specifications to ensure that the vehicle follows the desired travel trajectory and speed profile. Therefore, the stability and safety of the autonomous car depend greatly on the effectiveness of the automatic driving control system. Both longitudinal and lateral controllers are a part of the autonomous vehicle's automatic driving control system. The lateral controller adjusts the steering wheel to follow the vehicle's course, while the longitudinal controller controls the speed of the vehicle. Over the last few decades, numerous researchers have taken use of the driving control system's architecture [3].

Finding certain patterns, characteristics, or signals in pictures, such edges, gradients, coloured segments, and colour distributions, is

the key component of vehicle detection. Such a standard expedites or directs the vehicle detection process. The literature has recently offered three basic strategies to address the issue of vehicle detection and tracking. The first method relies solely on the camera as a sensor. The second one relies on laser range finders, or LiDARs. The third method is also based on the merging of camera and lidar signals. Premebida et al. early 's research into the third strategy involved the development of a vehicle identification system that combined data from a monocular camera and a LiDAR. A Gaussian Mixture Model classifier is used in the system phases for the laser space, while an AdaBoost classifier is used in the vision space. A judgement mechanism known as the Bayesian sum is used to aggregate the findings. The preliminary experimental findings indicate an 84% success rate [4].

Early vehicle detection studies included manual detection and exploiting the vehicle's features (Sun et al., 2006b). More lately, machine learning techniques have gained popularity and a variety of methods have been put out. The latter situation often uses convolutional neural network-based approaches, whereas the former methods typically identify the attributes of the vehicles for detection purposes. Active safety protection for vehicles has grown in popularity in recent years thanks to the quick development of advanced driving assistance technologies, which started with parking assistance and expanded to include lane departure warning, forward collision warning, and active distance control cruise. However, there are a number of crucial difficulties with the forward collision warning systems that use images. In this paper, a method for implementing real-time neural network operations on low-computing GPU devices is proposed [5].

The fact that the project makes use of less expensive hardware and freely downloadable software enhances access to similar setups. The vision system is sensitive to noise, and different room designs, colours, lighting setups, and times of day seem to have a big impact on how well it works. The project produced a fully functional custom hardware platform with a machine learning pipeline from beginning to end that enables automated data collection and labelling, as well as complex models like the second iteration of the proposed architecture implementation that enables the car to autonomously navigate randomly generated, uncharted tracks and even perform behaviour [5].

Accurate positioning solutions must be developed to take into account a variety of uncertainties, including pedestrian behaviour, chance

encounters with objects, and the types of roadways and their environments, in order to provide safe and dependable intelligent transportation systems. In this research, we examine the additional fields and technologies needed to create an autonomous car and analyse pertinent literature. In this study, we examine the state of research and development for autonomous vehicles in the areas of environment detection, pedestrian detection, path planning, motion control, and vehicle cybersecurity. Our goal is to research and contrast the various potential technologies. These technologies must be developed in order for an automobile to be fully driverless [6].

The vehicle has seen numerous evolutionary improvements since the introduction of the Model T, but none compare to the revolution that the Model T itself had ignited. However, the development of fully autonomous vehicles may change that. Within a decade, self-driving cars may be available on the market, but the goal of this project is to debate the ethical and financial implications of that future. Automobiles that can drive themselves are referred to as autonomous vehicles. Automobile autonomy has been prototyped since the 1980s, but it hasn't been extensively tested on real roads that regular drivers share until recently. Automakers are competing to be the first to provide total autonomy to the market because they now believe that it can be a significant selling factor for their cars. The idea of automation is not new, and it has been constantly advancing along with technological advancement. For instance, automated elevators were created around the start of the 20th century. But the development of autonomous technology and acceptance of autonomy are two distinct processes. Although it took nearly 50 years for autonomous elevators to become popular, today manual elevators and the industry that relied on them, elevator operating, are essentially extinct [7].

New technologies to improve the handling and effectiveness of the car are developed and used annually in the ever-evolving automotive industry. Autonomous vehicles, the most anticipated and discussed topic, will completely change how people travel. Experts are assessing the benefits and drawbacks of autonomous vehicles as their introduction approaches. The effects have been thoroughly discussed, but there is no doubt that the benefits of the driverless concept are substantial and cannot be ignored. Additionally, whether an impact is positive or negative largely depends on the mindset of the people using it, so regulations and rules must be established for better outcomes [8].

### III. METHODOLOGY

#### 1. CONVOLUTIONAL NEURAL NETWORKS

Similar to conventional ANNs, convolutional neural networks (CNNs) are made up of neurons that train to optimize their own performance. Each neuron will continue to take in information and carry out a function that forms the basis for countless ANNs. Convolutional neural networks have evolved recently, making object detection more accurate and quicker. Tens or even hundreds of layers can be present in a convolutional neural network, and each layer can be trained to recognize various features of an image. Each training image is subjected to filters at various resolutions, and the output of each convolved image is used as the input to the following layer. Beginning with very basic features like brightness and edges, the filters can get more complex until they reach characteristics that specifically identify the object. The comparison of computation speeds is also included.

#### 2. IMAGE DETECTION

**Image Detection:** Image detection refers to the process of identifying and locating objects or features within an image. This process is typically accomplished through the use of computer vision algorithms that analyze the pixel values and patterns in an image to detect specific objects or features. Image detection has numerous applications in fields such as security, medical imaging, and autonomous vehicles. One common approach to image detection is to use convolutional neural networks (CNNs), which are deep learning models that are trained on large datasets of labeled images to recognize specific objects or patterns within an image.

#### 3. IMAGE PREPROCESSING

**Image Pre Processing:** Image preprocessing is an essential step in image analysis and computer vision, as it involves cleaning and enhancing the image data to prepare it for further analysis. This process typically involves several operations such as noise reduction, image denoising, image filtering, contrast enhancement, and image normalization. The main goal of image preprocessing is to improve the quality of the image data, reduce the amount of noise or artifacts, and highlight relevant features or structures that are necessary for further analysis or object detection. Image preprocessing is crucial for machine learning algorithms as it helps to improve the accuracy of image classification, object detection, and other computer vision tasks. Some of the common techniques used in image preprocessing include smoothing filters such as Gaussian or median filters, edge detection, image thresholding, and morphological operations

such as dilation and erosion. Overall, image preprocessing is a critical step in image analysis, and the choice of the specific techniques used depends on the specific task and characteristics of the input image data.

#### 4. IMAGE CLASSIFICATION


Image classification is a fundamental task in computer vision, which involves assigning a label or category to an image based on its content or visual features. This task is accomplished by using machine learning algorithms such as convolutional neural networks (CNNs), which are trained on large datasets of labeled images. The process of image classification typically involves several steps, including image pre-processing, feature extraction, and classification. The pre-processing step involves cleaning and enhancing the input image data to prepare it for further analysis. Feature extraction involves identifying relevant features or patterns within the image data, which are then used to train the machine learning algorithm. Finally, the machine learning algorithm assigns a label or category to the image based on the identified features. Image classification has numerous applications, including image search, object recognition, and autonomous vehicles. Overall, image classification is a powerful tool for automated image analysis and understanding, and it continues to be an active area of research and development in the field of computer vision.

#### 5. IMAGE RECOGNITION

Image recognition is a process of identifying and detecting objects or features within an image. This process involves using computer vision algorithms that analyze the pixel values and patterns in an image to recognize specific objects or patterns within it. Image recognition is a more general term that encompasses a variety of image analysis tasks, including image classification, object detection, and segmentation. The main goal of image recognition is to accurately identify the content of an image, which can be used in various applications such as facial recognition, autonomous vehicles, and image search. Image recognition algorithms typically rely on deep learning models, such as convolutional neural networks (CNNs), which are trained on large datasets of labeled images to recognize specific objects or patterns within an image. Image recognition is a rapidly evolving field, with new techniques and applications emerging regularly, and it continues to be an active area of research and development in the field of computer vision.


## 6. YOLO V3 ALGORITHM

### FLOW DIAGRAM



**FIGURE 1: YOLO V3 ARCHITECTURE**

## 7. IMAGE DETECTION FLOW PROCESS



**FIGURE 2: IMAGE DETECTION**

### 1. IMAGE CAPTURE

Image capture is an essential step in the process of image detection as it is the process of acquiring an image through a camera or other image acquisition devices. The quality and resolution of the captured image play a crucial role in the accuracy of object detection. Image capture can be performed using various devices such as digital cameras, smartphones, scanners, or specialized cameras designed for computer vision applications.

### 2. FEATURE DETECTION


Feature detection is a crucial step in image detection that involves identifying and extracting relevant features or patterns within an image. These features are then used to train machine learning models for object detection, recognition, and tracking. Overall, feature detection is a critical step in image detection, and it plays a crucial role in the accuracy and efficiency of the detection algorithm. By identifying and

extracting relevant features within an image, the algorithm can accurately detect, recognize, and track objects within the image data.

### 3. COLLECTING PUTATIVE POINTS

Collecting putative points is an essential step in image detection, particularly in object recognition and tracking. The putative points are the feature points extracted from the image that potentially correspond to the object of interest. These points are then used to compute the transformation between the current and the previous frame, which is essential for object tracking.

## 8. VIDEO DETECTION FLOW PROCESS




**FIGURE 3: VIDEO DETECTION**

A video detection flowchart is a diagram that illustrates the steps involved in detecting objects or events in a video stream. The flowchart typically consists of a series of boxes that represent different stages in the process, connected by arrows that show the direction of the flow. The first step in the flowchart is typically video acquisition, where a video stream is captured by a camera or other imaging device. The next step is often preprocessing, where the video is enhanced or filtered to improve the quality or reduce noise.

The next stage is typically object detection, where a computer algorithm is used to identify and locate objects of interest within the video stream. This may involve training a machine learning model on a set of labeled data to recognize specific objects, or using more general computer vision techniques to detect motion or changes in pixel intensity.

## 9. REAL TIME DETECTION FLOW PROCESS



**FIGURE 4: REAL TIME DETECTION**

A flow diagram for object tracking typically consists of a series of interconnected shapes or symbols that represent different stages or processes involved in tracking an object. The diagram may include the following elements:

### 1. INPUT

The diagram typically starts with an input symbol or shape that represents the source of data or information that is used to track the object. This could be a video stream, a series of images, or some other form of data input.

### 2. PREPROCESSING

The next stage in the diagram is typically a preprocessing step that involves cleaning and enhancing the data to make it suitable for tracking. This may include tasks such as noise reduction, image segmentation, and feature extraction.

### 3. OBJECT DETECTION

The next step in the flow diagram is typically object detection, where the algorithm identifies the presence of objects in the input data. This may involve using techniques such as background subtraction, thresholding, and template matching.

### 4. OBJECT TRACKING

Once the object has been detected, the tracking algorithm begins to follow its movement through time and space. This may involve various techniques such as Kalman filtering, optical flow, or particle filtering.


### 5. OUTPUT

Finally, the output stage of the flow diagram produces the results of the object tracking process, such as the object's trajectory, velocity, and other relevant information. This output may be used for various applications such as

surveillance, robotics, or human-computer interaction.

## 10. PID CONTROLLER

PID controller stands for Proportional Integral Derivative Controller. The general idea of how PID controller works is actually quite simple. A PID Controller basically just computes the error rate, in the case of a self-driving car, the error generally considered is cross-track error. Cross track error is increased when vehicle moves out from one lane to another. The controller tries to adjust the parameters to minimize this error and tries to maintain the vehicle within its lane.



**FIGURE 5: PID CONTROLLER**

## IV. EXPECTED OUTCOMES

The creation of a real-time object detection system that detects objects using neural networks and deep learning. In a similar vein, the system needed to be maintained using reasonable hardware. During the coding process, a number of deep-learning structures were tested. In order to make self-driving more effective, this work's main contribution is to test the pre-trained models with SSD on various dataset types to identify which model is better at accurately detecting and recognizing the object. It also identifies which model performs best on which dataset.

## V. CONCLUSION

The real takeaway from all of this is that technological advancements are unavoidable, and that we should prepare for them rather than fear them. The implications for society of automation and driverless vehicles are numerous. Humans have never been able to stop technological advancement, and they will not be able to stop change indefinitely, despite the fact that they have been able to slow it down, as was the case with the introduction of the automated elevator. Despite the

significant progress made in autonomous technology over the past few years, we think it is still too early to predict whether or not AVs beyond Level 3 Automation will be economically viable. We believe that efforts to make all levels of automation more robust will soon lead to automated vehicles operating on efficient and secure roads. Furthermore, given the rapid advancement of intelligent transportation systems, the educational system must unquestionably adapt to these new technologies. to make sure a wider range of topics, such as software development, electrical engineering, and environmental and energy sustainability, are covered. Because of the camera, ambient light and brightness have an impact on driving. Therefore, to get good performance, a high-quality camera is required. Every sensor works when it's needed and shuts off when it's not.

## VI. REFERENCES

- [1] Huansheng Song, Haoxiang Liang , Huaiyu Li, Zhe Dai and Xu z , *Mr. Pranay Gadhawe "Self-Driving Car based on Image Processing with Machine Learning,"* in Dept. Information Technology, Bharati Vidyapeeth College of Engineering, Maharashtra, India, pp. 2395- 0072.
- [4] Wael Farag, Zakaria Saleh " An Advanced Vehicle Detection and Tracking Scheme for Self-Driving Cars," in 2019 American university of Kuwait, 4wael.farag@aum.edu.kw, zsaleh@ubo.edu.bh.
- [5] Chen – Wei Lai, Huei-Yung-Lin and Wen-Lung Tai " Vision based ADAS for Forward Vehicle Detection using Convolutional Neural Networks and Motion Tracking," in 2019 Department of Electrical Engineering, National Chung Cheng University, 168University Road, Min-Hsiung, Chiayi 621, Taiwan.
- [6] Tej Kurani, Nidhip Kathiriya, Uday Mistry, Prof. Lukesh Kadu, Prof. Harish Motekar " Self-Driving Car Using Machine Learning," in 2020 Dept. of Information Technology, Shah and Anchor Kutchhi Engineering College, Mumbai, Maharashtra, India., pp. 2395-0072.
- [7] Haroon Ijaj Hublikar, Atharva Ajit Keny, Rahul Dilip Ghonge, Khan Sawood Iftekhar Ahmed " Self-Driving Car Using Machine Learning and Neural Network," in 2022 Department of Electronics Engineering, University of Mumbai, pp. 2321-9653.
- [8] Dr.T. Manikandan, J.S. Jayashwanth, S. Harish and K.N. Harshith Sivatej " Self Driving Car," in 2020 Dept. of ECE, Rajalakshmi Engineering College, Chennai, India. E-mail: Manikandan.T@rajalakshmi.edu.in ,ISSN: 1475-7192.
- [4] Darsh Parekh, Nishi Poddar , Aakash Rajpurkar , Manisha Chahal , Neeraj Kumar , Gyanendra Prasad Joshi and Woong Cho " A Review on Autonomous Vehicles: Progress, Methods and Challenges," in 2022 Department of Computer Science and Engineering, NMIMS University, Mumbai 400056, India.
- [5] Jonathan Dailey " Self Driving Cars: Today and Tomorrow," in 2022
- [6] Gary Silberg , " Self-driving cars: The next revolution," in 2022 Partner, KPMG LLP National Sector Leader Automotive.
- [7] Todd Litman " Autonomous Vehicle Implementation Predictions," in 2022 Victoria Transport Policy Institute
- [8] Mohsin Raza " Autonomous Vehicles: Levels, Technologies, Impacts and Concerns," in 2018 Student, Department of Mechanical Engineering, JSS Academy of Technical Education, Noida, India, pp. 12710-12714
- [9] Paolo Maramotti, Alessandro Paolo Capasso , Giulio Bacchiani2 and Alberto Brogg," in 2020 Beijing Aerospace Automatic Control Institute China Academy of Launch Vehicle Technology Beijing, China reezor@163.com.
- [10] Dmitry A. Kirpickov, Andrey N. Belyaev " Optimization of Control Algorithms for Frequency Drives of Synchronous Motors in Unified Power System," Department of Electrical Power Systems and Networks Peter the Great St.Petersburg Polytechnic University andreybelyaev@yandex.ru .
- [11] Ping Wu, Zhihong Dou, Mengnan Cui " An Automatic Driving Algorithm for Outdoor Wheeled Unmanned Vehicle," in 2020 Beijing Aerospace Automatic Control Institute China Academy of Launch Vehicle Technology Beijing, China reezor@163.com.

